

# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FII	LING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/847,063	0	4/30/2001	Ming Zhou	GEI-001US 29083	4555
21718	7590	10/20/2004		EXAMINER	
LEE & HA SUITE 500	YES PLL	C	RUTTEN, JAMES D		
421 W RIVI	ERSIDE		ART UNIT	PAPER NUMBER	
SPOKANE,		01	2122		

DATE MAILED: 10/20/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)				
		09/847,063	ZHOU ET AL.				
	Office Action Summary	Examiner	Art Unit				
		J. Derek Rutten	2122				
Period fo	The MAILING DATE of this communication apports.  Preply	pears on the cover sheet with the	correspondence address				
THE I - Exter after - If the - If NO - Failu Any I	ORTENED STATUTORY PERIOD FOR REPL MAILING DATE OF THIS COMMUNICATION. sions of time may be available under the provisions of 37 CFR 1.7 SIX (6) MONTHS from the mailing date of this communication. period for reply specified above is less than thirty (30) days, a rep period for reply is specified above, the maximum statutory period re to reply within the set or extended period for reply will, by statute eply received by the Office later than three months after the mailined patent term adjustment. See 37 CFR 1.704(b).	136(a). In no event, however, may a reply be ti ly within the statutory minimum of thirty (30) da will apply and will expire SIX (6) MONTHS fron e, cause the application to become ABANDONI	mely filed ys will be considered timely. n the mailing date of this communication. ED (35 U.S.C. § 133).				
Status		,					
1)[	Responsive to communication(s) filed on <u>15 J</u>	<u>uly 2004</u> .	•				
2a)⊠	This action is <b>FINAL</b> . 2b) This	s action is non-final.					
3)□	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Dispositi	on of Claims						
5)□ 6)⊠ 7)□	Claim(s) <u>1-4,7-11,13-15,18-24,26,32-35,39-43</u> 4a) Of the above claim(s) is/are withdra Claim(s) is/are allowed. Claim(s) <u>1-4, 7-11, 13-15, 18-24, 26, 32-35, 38</u> Claim(s) is/are objected to. Claim(s) are subject to restriction and/or	wn from consideration. 9-43, 49, 51, 52, and 55 is/are rej					
Applicati	on Papers						
9)[]	The specification is objected to by the Examine	er.					
10)🛛	10)⊠ The drawing(s) filed on <u>15 July 2004</u> is/are: a) accepted or b)⊠ objected to by the Examiner.						
	Applicant may not request that any objection to the		• •				
441571	Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11)[X]	The oath or declaration is objected to by the Ex	xaminer. Note the attached Office	Action or form PTO-152.				
Priority u	nder 35 U.S.C. § 119	•					
a)[	Acknowledgment is made of a claim for foreign  All b) Some * c) None of:  1. Certified copies of the priority document  2. Certified copies of the priority document  3. Copies of the certified copies of the priority document  application from the International Bureatee the attached detailed Office action for a list	is have been received. Is have been received in Applicat rity documents have been receiv u (PCT Rule 17.2(a)).	ion No ed in this National Stage				
Attachmen							
	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948)	4)  Interview Summary Paper No(s)/Mail D					
3) 🔲 Inform	e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) 'No(s)/Mail Date	_	Patent Application (PTO-152)				

Art Unit: 2122

#### **DETAILED ACTION**

- 1. Acknowledgement is made of Applicant's amendment dated July 15, 2004, responding to the April 16, 2004 Office Action provided in the rejection of claims 1-56, wherein claims 1, 7, 13, 20, 32, 41, 49, and 55 have been amended, claims 5, 6, 12, 16, 17, 25, 27-31, 36-38, 44-48, 50, 53, 54, and 56 have been canceled, and no new claims have been added. Claims 1-4, 7-11, 13-15, 18-24, 26, 32-35, 39-43, 49, 51, 52, and 55 remain pending in the application and have been fully considered by the examiner.
- 2. Applicant's arguments, see page 26 lines 6-16, filed July 15, 2004, with respect to the rejections of claims 1-4, 7-11, 13-15, 18-24, 26, 32-35, 39-43, 49, 51, 52, and 55 under 35 USC 102(b) and 35 USC 103(a) have been fully considered and are persuasive. Therefore, the rejection has been withdrawn. However, upon further consideration, a new grounds of rejection is made in view of prior art of record "Effective awk Programming, 3<sup>rd</sup> Edition" by Robbins.
- 3. Applicant's amendment necessitated the new grounds of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event,

however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

# Response to Arguments

- 4. Applicant argues on page 21 that a declaration referencing "35 CFR 1.56(a)" [sic it is assumed to refer instead to 37 CFR 1.56(a)] alone is a sufficient replacement for a declaration that references 37 CFR 1.56 in its entirety, since interpretation of 1.56(a) draws in every other part. This argument is not convincing. Although a portion of section 1.56(a) describes "a duty to disclose to the Office all information known to that individual to be material to patentability as defined in this section", it does not particularly set out who "that individual" should be, as does 37 CFR 1.56(c). Further, 37 CFR 1.63(b)(3) expressly states a requirement for a statement of a duty to disclose according to section 1.56, and not merely to 1.56(a). Applicant further requests that the Office "waive such minor deviations from the suggested model declaration". Review of model declarations such as Form PTO/SB/01 (last updated 2004/09), which are currently available online at http://www.uspto.gov/web/forms/index.html, shows a reference to "37 CFR 1.56", and not "1.56(a)" as suggested by the Applicant.
- 5. Applicant argues on page 22 lines 1-16 that Figs. 1-3 do not represent prior art.

  However, page 5 lines 23-24 of the originally filed specification describe Fig. 1 as "a network system 100 in which the tiered software architecture **may** be implemented" (emphasis added).

  This implies that the tiered software architecture uses the depicted network, but that the network does not need the tiered software architecture. Further description of this figure on pages 5-7 provides details of network elements that are known in the prior art. Thus, as described in the

Art Unit: 2122

specification, Fig. 1 should be labeled "Prior Art". In contrast, arguments regarding Figs. 2 and 3 are convincing.

In response to applicant's argument that there is no suggestion to combine the references. the examiner recognizes that obviousness can only be established by combining or modifying the teachings of the prior art to produce the claimed invention where there is some teaching, suggestion, or motivation to do so found either in the references themselves or in the knowledge generally available to one of ordinary skill in the art. See In re Fine, 837 F.2d 1071, 5 USPO2d 1596 (Fed. Cir. 1988) and *In re Jones*, 958 F.2d 347, 21 USPO2d 1941 (Fed. Cir. 1992). In this case, the Sun reference teaches a well-known method for internationalization of software and provides motivation to combine through an explanation of this method. The tools described by Sun offer automation which inherently makes the process easier. In particular, in discussing internationalization on page 95, motivation is provided for adopting the implementation offered by Sun: "To internationalize your software means to include nothing specific to your language and culture and to provide features that facilitate translation of text into other languages. *Internationalization* is the process of making software portable between languages or regions, while localization is the process of adapting software for specific languages or regions". In this respect, the scope of Hinks can be viewed as being directed more towards the localization effort, while Sun provides motivation for the internationalization that can be achieved through the use of the claimed function call. Further, Hinks discloses a desire to improve internationalization and therefore provides motivation for investigating Sun (column 1 lines 15-25 and column 2 lines 58-64).

Art Unit: 2122

- Applicant argues on page 26 lines 3-5 that Sun's function calls "do not remove the 7. locale-sensitive content as claimed; rather, at best, the functions supplement the locale-sensitive content." The examiner disagrees with this interpretation. While Sun does appear to leave the locale-sensitive content in the source code as applicant has argued, it can also be argued that once the locale-sensitive content is located and "supplemented" by the gettext() function, it is logically converted into locale-independent content in the form of a key into a database of translations. In the presence of the function, this string no longer holds any significance regarding any particular locale since the function will use the string as a key to provide the program with whatever locale is currently required. The string is extracted, placed in a text database, and its locale-sensitive nature thus removed by replacing it with the insertion of the function that uses the former string as a locale-independent key. The key is then used to look up various translations using the text database. In fact, the use of this string as a key into a text database is an efficient implementation since the generation of an additional key would require an unnecessary step of computation. As can be seen from the figures on page 99 of the Sun reference, the original string is used as a message identifier ("msgid") that is locale-independent. As such, a message identifier uniquely identifies a message in order to provide the real message string ("msgstr").
- 8. Applicant argues on page 26 lines 6-16 that Sun does not substitute the gettext() function in a same operation as an extraction procedure. This argument is persuasive. While Sun removes locale-sensitive content in the same operation as the insertion of the gettext() function, the extraction procedure is performed in a separate step.

Art Unit: 2122

#### Oath/Declaration

9. The oath or declaration is defective. A new oath or declaration in compliance with 37 CFR 1.67(a) identifying this application by application number and filing date is required. See MPEP §§ 602.01 and 602.02.

The oath or declaration is defective because:

While it acknowledges the duty to disclose as defined in 37 CFR 1.56(a), it does not state that the person making the oath or declaration acknowledges the duty to disclose to the Office all information known to the person to be material to patentability as defined in 37 CFR 1.56 as a whole.

### **Drawings**

10. Figure 1 should be designated by a legend such as --Prior Art-- because only that which is old is illustrated. See MPEP § 608.02(g). A proposed drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.

## Claim Rejections - 35 USC § 103

- 11. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 12. Claims 1-4, 13-15, 18-24, 26, 32-35, 41-43, 49, 51, 52, and 55 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent 5,678,039 to Hinks et al. (hereinafter referred to as "Hinks"), in view of "OpenWindows Developer's Guide: Xview Code Generator

Art Unit: 2122

Programmer's Guide" by Sun Microsystems (hereinafter referred to as "Sun") further in view of "Effective awk Programming, 3<sup>rd</sup> Edition" by Robbins (hereinafter "Robbins").

As per claim 1, Hinks discloses:

A computer-implemented method comprising:

analyzing a computer-servable document written for a particular locale (column 3 lines 7-9: "First, the sources are parsed by the Export/Import module to a translatable format."); and

extracting locale-sensitive content from the document while leaving locale-independent elements in the document (column 3 lines 1-4: "The Export/Import module itself includes a parsing engine to extract strings and translatable information from application programs."; also column 3 lines 39-43: "In either instance, the underlying program code (i.e., the code which the programmer has written to carry out the functionality of the program) has remained untouched by the process.").

storing the locale-sensitive content in a data structure separate from the document (column 3 lines 13-16).

Hinks does not expressly disclose the removal of locale-sensitive content or the substitution of a locale-sensitive content with a function call.

However, in an analogous environment, Sun teaches *removing locale-sensitive* content (page 100: "If you then use the GXV code generator to

get linked with the gettext() or dgettext() function call. These calls are used to look up the strings in other languages, or locales." Locale-sensitive content is removed through the process of linking the function calls in the code. The function calls use the text strings as keys to a text database of translations for other locales. As they are used as keys to a database and are no longer directly available to the original source code, the strings are no longer locale-sensitive.), substituting, in a same operation as the extracting and removing, a function call in place of associated locale-sensitive content in the document (page 100 as cited above: "...the interface's text strings get linked with the gettext() or dgettext() function call obtains the locale-sensitive content from the data structure (page 98 under the header "gettext() and dgettext() Routines").

It would have been obvious to one of ordinary skill in the art at the time the invention was made to use Sun's function call substitution in Hinks' localization system. One of ordinary skill would have been motivated to include nothing specific to one's language and culture in software development and to provide features that facilitate translation of text into other languages.

Hinks and Sun do not expressly disclose substituting in a same operation as the extracting. However, in an analogous environment, Robbins teaches substituting in a same operation as extracting (Section 9.4.1, footnote [3]: "Eventually, the

xgettext utility that comes with GNU gettext will be taught to automatically run gawk--gen-po for awk files, freeing the translator from having to do it manually."). It would have been obvious to one of ordinary skill in the art at the time the invention was made to use Robbins' teaching of automatic extraction with Sun's function call insertion. One of ordinary skill would have been motivated to simplify program flow by combining multiple steps in one operation thereby easing the burden on the programmer.

As per claim 2, the above rejection of claim 1 is incorporated. Further, Hinks discloses wherein the analyzing comprises examining each line of code in the document and based on the code, identifying the locale-sensitive content (column 3 lines 1-4).

As per claim 3 the above rejection of claim 1 is incorporated. Further, Hinks discloses wherein the locale-sensitive content comprises natural language text (column 3 lines 28-31).

As per claim 4 the above rejection of claim 1 is incorporated. Further, Hinks discloses wherein the locale-independent elements comprise source code and formatting data (column 3 lines 31-34).

As per claim 13, Hinks discloses:

A method comprising:

automatically compiling a computer-servable document written for a particular locale to extract and remove any locale-sensitive content (column 3 lines 1-4, and 7-9 as cited in the above rejection of claim 1), the compiling producing a compiled document with locale-independent elements (FIG. 3 element 377 and column 8 lines 30-34: "Alternatively, a Resource Compiler 365, again such as Borland's Resource Workshop®, may be employed to re-compile the Translated Resource Files 360 and bind those compiled resources back into the target program, now shown as Translated Program 377."); and

storing the locale-sensitive content in a form that can be translated to other locales (column 3 lines 15-22: "From there, Export/Import (EXPIMP) module parses the resource file into a Translation Table, which is typically stored as a database table. The Translation Table encapsulates all the information that is known or can be derived from the various resources and stores them in a format which may be utilized by various editors."; also column 3 lines 53-55: "In this fashion, changing a product from one locale to another can be reduced to the simple process of swapping out resource files.").

Hinks does not expressly disclose the substitution of a locale-sensitive content with a function call.

However, in an analogous environment, Sun teaches substituting a function call in place of the locale-sensitive content in the compiled document (page 99 under the header "xgettext and msgfmt Utilities"), the function call being configured such that, when executed, the function call obtains and embeds the locale-sensitive content back into the compiled document (page 98 under the header "gettext() and dgettext() Routines").

All further limitations have been addressed in the above rejection of claim 1.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to use Sun's function call substitution in Hinks' localization system. One of ordinary skill would have been motivated to include nothing specific to one's language and culture in software development and to provide features that facilitate translation of text into other languages.

As per claims 14 and 15, all limitations have been addressed in the above rejections of claims 3 and 4, respectively.

As per claim 18, the above rejection of claim 13 is incorporated. Further, Hinks discloses retrieving, at runtime, the compiled document and populating the compiled document with the locale-sensitive content to reconstruct the computer-servable document that can be served to the particular locale (column 3 lines 50-55).

As per claim 19, the above rejection of claim 13 is incorporated. Further, Hinks discloses wherein the locale-sensitive content is translated in to a second version for use

Art Unit: 2122

in a second locale (column 3 lines 35-36). All further limitations have been addressed in the above rejection of claim 18.

As per claim 20, Hinks discloses:

compiling a computer-servable document written for a particular locale to extract any locale-sensitive content, the compiling producing a compiled document with locale-independent elements (column 3 lines 1-4, and 7-9 as cited in the above rejection of claim 1; also FIG. 3 element 377 and column 8 lines 30-34 as cited in the above rejection of claim 13);

storing the locale-sensitive content (column 3 lines 15-22 as cited in the above rejection of claim 13); and

at runtime, retrieving the compiled document and populating the compiled document with the locale-sensitive content (column 3 lines 50-55 as cited in the above rejection of claim 18).

Further, Hinks discloses obtaining the associated locale-sensitive content and inserting the associated locale-sensitive content back into the compiled document (column 3 lines 50-55).

Hinks does not expressly disclose substituting a function call in place of associated locale-sensitive content in the compiled document; and the populating comprises executing the function call in the compiled document.

However, in an analogous environment, Sun teaches substituting a function call in place of associated locale-sensitive content in the compiled document (page 99 under the

header "xgettext and msgfmt Utilities" as cited in the above rejection of claim 6) and the populating comprises executing the function call in the compiled document (page 98 under the header "gettext() and dgettext() Routines" as cited in the above rejection of claim 6).

All further limitations have been addressed in the above rejection of claim 1.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to use Sun's function call substitution and population in Hinks' localization system. One of ordinary skill would have been motivated to include nothing specific to one's language and culture in software development and to provide features that facilitate translation of text into other languages.

As per claims 21 and 22, the above rejection of claim 20 is incorporated. All further limitations have been addressed in the above rejection of claims 3 and 4, respectively.

As per claim 23, the above rejection of claim 20 is incorporated. Further, Hinks discloses storing the locale-sensitive content in a structured text file (column 3 lines 9-11. Resource files structured text files.).

As per claim 24, the above rejection of claim 20 is incorporated. Further, Hinks discloses *storing the locale sensitive content in a database file* (column 3 lines 13-16).

As per claim 26, the above rejection of claim 26 is incorporated. Hinks further discloses:

storing one or more translated versions of the locale-sensitive content (column 3 lines 23-24); and

at runtime, retrieving the compiled document and populating the compiled document with a translated version of the locale-sensitive content (column 3 lines 50-55).

As per claim 32, Hinks discloses a system (FIG. 3). Hinks further discloses:

at least one computer-servable document stored in a computer-readable medium,

the document being written for a particular locale (column 3 lines 7-9: "First, the

sources are parsed by the Export/Import module to a

translatable format."; also column 5 lines 59-61: "Software system

200, which is stored in system memory 102 and on disk

memory 107, includes a kernel or operating system (OS) 240

and a windows shell 250."); and

a compiler to automatically extract locale-sensitive content from the document to produce a compiled document containing locale-independent elements (column 3 lines 7-7: "First, the sources are parsed by the Export/Import module to a translatable format."; also column 3 lines 50-51: "Resources for products to be translated are stored in an external resource file in a standard format.").

Art Unit: 2122

Hinks also discloses obtaining the associated locale-sensitive content and inserting the associated locale-sensitive content back into the compiled document (column 3 lines 50-55).

Hinks does not expressly disclose substituting a function call in place of associated locale-sensitive content in the compiled document. All further limitations have been addressed in the above rejection of claim 5.

However, in an analogous environment, Sun teaches substituting a function call in place of associated locale-sensitive content in the compiled document (page 99 under the header "xgettext and msgfmt Utilities" as cited in the above rejection of claim 6) the function call being configured such that, when executed, the function call obtains the associated locale-sensitive content from the data structure and inserts the associated locale-sensitive content back into the compiled document (page 98 under the header "gettext() and dgettext() Routines" as cited in the above rejection of claim 6).

All further limitations have been addressed in the above rejection of claim 1.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to use Sun's function call substitution and population in Hinks' localization system. One of ordinary skill would have been motivated to include nothing specific to one's language and culture in software development and to provide features that facilitate translation of text into other languages.

Art Unit: 2122

As per claims 33 and 34, the above rejection of claim 32 is incorporated. All further limitations have been addressed in the above rejections of claims 3 and 4, resepectively.

As per claim 35, the above rejection of claim 32 is incorporated. Hinks further discloses wherein the compiler examines source code in the document to determine, from the source code, whether locale-sensitive content is present (column 3 lines 7-9).

As per claim 41, Hinks discloses:

A compiler system (FIG. 3) comprising:

a grammar containing rules for structuring source code (column 3 lines 7-9 as cited in the above rejection of claim 1 describes a parser which inherently uses a source code grammar, otherwise it would be unable to match tokens of the source code.);

a call library to store function calls (column 5 lines 26-29 describe use of the Microsoft Windows environment, which inherently contains a call library);

content analyzer to analyze source code in a document written for a particular locale and to utilize the grammar to determine whether the source code contains localesensitive content that is specific to the particular locale (column 3 lines 7-9 as cited in the above rejection of claim 1),

Hinks does not expressly disclose the content analyzer being configured to the locale-sensitive content in the source code.

However, in an analogous environment, Sun teaches the content analyzer being configured to the locale-sensitive content in the source code with associated references to the replaced locale-sensitive content (page 99 under the header "xgettext and msgfmt Utilities", and page 98 under the header "gettext() and dgettext() Routines" as referenced in the above rejection of claim 6).

All further limitations have been addressed in the above rejection of claim 1.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to use Sun's reference replacement in Hinks' localization system. One of ordinary skill would have been motivated to include nothing specific to one's language and culture in software development and to provide features that facilitate translation of text into other languages.

Hicks does not expressly disclose replacing locale-sensitive content with function calls. However, Sun teaches the content analyzer replaces the locale-sensitive content with one or more function calls from the call library, the function calls being configured such that, when executed, the function calls reinsert the locale-sensitive content back into the source code (page 99 under the header "xgettext and msgfmt Utilities" and page 98 under the header "gettext() and dgettext() Routines"). It would have been obvious to one of ordinary skill in the art at the time the invention was made to use Sun's function calls to reference Hinks' data structure. One of ordinary skill would have been motivated to retrieve text in the local language from a program with placeholders for a localizer to put each string's translation.).

Art Unit: 2122

As per claim 42, the above rejection of claim 41 is incorporated. Hinks further discloses wherein the locale-sensitive content is placed in a separate file, (column 3 lines 13-16).

Hinks does not expressly disclose and the references comprise a pointer to that file.

However, Sun teaches a reference to a file containing locale-sensitive content (page 97 under "Text Databases (Text Domains)".

It would have been obvious to one of ordinary skill in the art at the time the invention was made to use Sun's reference pointer with Hinks' content file. One of ordinary skill would have been motivated to retrieve text in the local language from a program with placeholders for a localizer to put each string's translation.

As per claim 43, the above rejection of claim 41 is incorporated. Hinks further discloses wherein the locale-sensitive content is placed in a separate data structure (column 3 lines 13-16 as cited in claim 5).

Hinks does not expressly disclose references that comprise function calls.

However, Sun teaches the references comprise function calls that, when executed, obtain the associated locale-sensitive content from the data structure and insert the associated locale-sensitive content into the source code (page 99 under the header "xgettext and msgfmt Utilities" and page 98 under the header "gettext() and dgettext() Routines").

It would have been obvious to one of ordinary skill in the art at the time the invention was made to use Sun's function calls to reference Hinks' data structure. One of ordinary skill would have been motivated to retrieve text in the local language from a program with placeholders for a localizer to put each string's translation.

As per claim 49, Hinks discloses:

A system (FIG. 3) comprising:

compilation means for compiling a computer-servable document written for a particular locale to extract any locale-sensitive content (column 3 lines 1-4, and 7-9 as cited in the above rejection of claim 1), the compilation means producing a compiled document with locale-independent elements (FIG. 3 element 377 and column 8 lines 30-34 as cited in the above rejection of claim 13); and

storage means for storing the locale-sensitive content extracted from the computer-servable document in a data structure separate from the compiled document (column 3 lines 13-16 as cited in the above rejection of claim 5).

All further limitations have been addressed in the above rejection of claim 1.

Hinks does not expressly disclose substitution with a reference. However, Sun teaches all further limitations as have been addressed in the above rejection of claim 13. It would have been obvious to one of ordinary skill in the art at the time the invention was made to use Sun's reference substitution in Hinks' localization system. One of ordinary skill would have been motivated to include nothing specific to one's language

and culture in software development and to provide features that facilitate translation of text into other languages.

As per claim 51, the above rejection of claim 49 is incorporated. All further limitations have been addressed in the above rejection of claim 18.

As per claim 52, the above rejection of claim 49 is incorporated. All further limitations have been addressed in the above rejection of claim 19.

As per claim 55, Hinks discloses:

One or more computer-readable media (column 5 line 44: "main memory") comprising computer-executable instructions that, when executed, direct a computer to:

examine source code in a document written for a particular locale (column 3 lines 7-9: "First, the sources are parsed by the Export/Import module to a translatable format.");

extract any locale-sensitive content from the source code (column 3 lines 1-4: "The Export/Import module itself includes a parsing engine to extract strings and translatable information from application programs.");

store the locale-sensitive content in a separate file (column 3 lines 13-16: "From there, Export/Import (EXPIMP) module parses the resource

file into a Translation Table, which is typically stored as a database table.").

Hinks does not expressly disclose: substitute, in place of the locale-sensitive content in the document, function calls which when executed at runtime, re-supply the locale-sensitive content to the document.

However, Sun teaches: substitute, in place of the removed locale-sensitive content in the document, function calls which when executed at runtime, re-supply locale-sensitive content to the document(page 99 under the header "xgettext and msgfmt Utilities" and page 98 under the header "gettext() and dgettext() Routines).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to use Sun's reference substitution in Hinks' localization system.

One of ordinary skill would have been motivated to include nothing specific to one's language and culture in software development and to provide features that facilitate translation of text into other languages.

13. Claims 7, 8, and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sun in view of Robbins.

As per claim 7, Sun discloses:

A method comprising:

examining source code in a document written for a particular locale (page 97 "Text Databases": "To facilitate internationalization of text, a

process exists (see gettext(), later in this section) to

collect all text visible to the user into a file called a

portable object file. The portable object file contains

the native language strings from a program and placeholders

for a localizer to put each string's translation.");

determining, from the source code, locale-sensitive content that is specific to the particular locale (page 97 as cited above, "native language strings"):

extracting and removing the locale-sensitive content from the source code (page 97 as cited above, "collect all text"; also page 100: "If you then use the GXV code generator to generate the C source code, the interface's text strings get linked with the gettext() or dgettext() function call. These calls are used to look up the strings in other languages, or locales." Locale-sensitive content is removed through the process of linking the function calls in the code. The function calls use the text strings as keys to a text database of translations for other locales. As they are used as keys to a database and are no longer directly available to the original source code, the strings are no longer locale-sensitive.);

storing the locale-sensitive content in a separate file (page 97 as cited above, "portable object file"); and

inserting, in a same operation as the removing, into the document in place of the removed locale-sensitive content, a reference to the locale-sensitive content in the separate file (page 98 under the header gettext() and dgettext() Routines: "Two

retrieving translated text. One, gettext(), assumes a text domain has already been specified..."; page 99 under the header xgettext and msgfmt Utilities: "Once Devguide or a developer has inserted gettext() function calls around all user visible text in an application, xgettext can be run on the source files to produce the portable object files."), wherein the reference comprises a function call that, when executed, obtains the locale-sensitive content from the separate file (page 98 "retrieving translated text").

Sun does not expressly disclose substituting in a same operation as the extracting. However, in an analogous environment, Robbins teaches substituting in a same operation as extracting (Section 9.4.1, footnote [3]: "Eventually, the xgettext utility that comes with GNU gettext will be taught to automatically run gawk--gen-po for awk files, freeing the translator from having to do it manually."). It would have been obvious to one of ordinary skill in the art at the time the invention was made to use Robbins' teaching of automatic extraction with Sun's function call insertion. One of ordinary skill would have been motivated to simplify program flow by combining multiple steps in one operation thereby easing the burden on the programmer.

Art Unit: 2122

As per claim 8, the above rejection of claim 7 is incorporated. Sun further discloses wherein the locale-sensitive content comprises natural language text (page 97 "native language strings").

As per claim 10, the above rejection of claim 7 is incorporated. Sun further discloses wherein the storing comprises storing the locale sensitive content in a structured text file (page 99 "portable object file").

14. Claim 9 is rejected under 35 U.S.C. 103(a) as being unpatentable over Sun and Robbins as applied to claim 7 above, and further in view of U.S. Patent Application Publication US 2002/0107684 to Gao, filed Feb. 7, 2001 (hereinafter referred to as "Gao").

As per claim 9, Sun does not expressly disclose ascertaining and identifying type.

However, in an analogous environment, Gao teaches internationalizing software using a semantic analysis phase:

ascertaining a type of code elements using a grammar for the source code (page 3, paragraph 51); and

identifying, based on the type of the code elements, any locale-sensitive content delimited by the code elements (page 3, paragraph 52).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to use Gao's type analysis and identification determination in Sun's

Art Unit: 2122

internationalization method. One of ordinary skill would have been motivated to detect potential internationalization problems using language grammar rules.

15. Claim 11 is rejected under 35 U.S.C. 103(a) as being unpatentable over Sun and Robbins as applied to claim 7 above, and further in view of Hinks.

As per claim 11, Sun does not expressly disclose storing content in a database file.

However, Hinks teaches the use of a database file for storage of locale sensitive content (column 3 lines 13-16).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to store Sun's localization data in Hinks database file. One of ordinary skill would have been motivated to store localization data in an easily searchable data structure.

16. Claims 39 and 40 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hinks, Sun, and Robbins as applied to claim 32 above, and further in view of Gao.

As per claim 39, the above rejection of claim 32 is incorporated. Further, Hinks does not expressly disclose a runtime manager.

However, Gao teaches the use of an "Integrated Translation Environment" which populates web documents with locale-sensitive content prior to serving (page 5 paragraph 0135).

Art Unit: 2122

It would have been obvious to one of ordinary skill in the art at the time the invention was made to use Gao's web localizer with Hinks' internationalization method.

One of ordinary skill would have been motivated to present localized content in a document.

As per claim 40, the above rejection of claim 32 is incorporated. Hinks further discloses a translated version of the locale-sensitive content (column 3 lines 23-24).

Hinks does not expressly disclose a runtime manager.

However, Gao teaches the use of an "Integrated Translation Environment" which populates web documents with locale-sensitive content during runtime (page 5 paragraph 0135).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to use Gao's web localizer with Hinks' internationalization method.

One of ordinary skill would have been motivated to present localized content in a document when it is presented.

#### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to J. Derek Rutten whose telephone number is (703) 605-5233. The examiner can normally be reached on M-F 6:30-3:00. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tuan Q. Dam can be reached at (703) 305-4552. The fax phone number for the organization where this application or proceeding is

assigned is 703-872-9306. After October 28, 2004, the examiner can be reached at new telephone number (571) 272- 3703, and the examiner's supervisor, Tuan Q. Dam can be reached at (571) 272-3694.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

jdr

ANTONY NGUYEN-BA PRIMARY EXAMINER

Hoangur Cent on nguyen Bre